

Errata

Volume 4, page 187: Correspondence e-mail should read:

Andre.Korrat@oncotest.de

Volume 4, page 194: Table IV should be replaced with:

Table IV. B. Cyclophosphamide efficacy in clinically resistant or untested tumor types: results for 37 tested tumors and predictions for 75 untested tumors.

Cancer type	CY real				CY predicted				Cy real + predicted			
	R	NR	Total	%	R	NR	Total	%	R	NR	Total	%
CNS		1	1	0%								
Colon	1	7	8	13%	3	16	19	16%	4	23	27	15%
Gastric		2	2	0%		6	6	0%		8	8	0%
Head and Neck		1	1	0%	1	3	4	25%	1	4	5	20%
Liver						2	2	0%		2	2	0%
Lung NSCLC	3	7	10	30%	4	24	28	14%	7	31	38	18%
Pancreas		2	2	0%		3	3	0%		5	5	0%
Pleuromesothelioma		3	3	0%	1	1	2	50%		4	5	0%
Prostate		2	2	0%								
Renal	1	6	7	14%		9	9	0%		15	16	0%
Uterus cervix	1					2	2	0%		2	2	0%
Total	6	31	37	16%	9	66	75	12%	15	97	112	13%

Volume 4, page 195, line 8: The sentence should read:

The products of at least 18 of these genes interact with DNA and the products of 12 of these genes are already known to interact at least indirectly with CY.

Volume 4, page 202: Table V should be replaced with:

Tumor	T/C[%]	real	predicted	Tumor	T/C[%]	real	predicted		
CXF_280	1	R	R	PXF_541	32	NR	NR		
GXF_281	1	R	R	CXF_264	34	NR	NR		
GXF_97	1	R	R	PAXF_546	34	NR	NR		
LXFL_529	1	R	R	CXF_269	35	NR	NR		
LXFS_605	1	R	R	CXF_676	39	NR	NR		
MAXF_401	1	R	R	MAXF_574	39	NR	NR		
MAXF_449	2	R	R	RXF_944LX	42	NR	NR		
LXFA_289	3	R	R	CXF_975	44	NR	NR		
LXFE_211	3	R	R	MEXF_274	45	NR	NR		
MAXF_MX1	5	R	R	OVXF_1353	48	NR	NR		
LXFE_409	6	R	R	LEXF_1189	52	NR	NR		
OVXF_1023	8	R	R	MEXF_1341	53	NR	NR		
CXF_260	9	R	R	CNXF_498	54	NR	NR		
MAXF_583	11	R	R	MEXF_276	54	NR	NR		
MAXF_508	13	R	R	MEXF_1732	55	NR	NR		
LXFA_629	16	R	R	CXF_158	56	NR	NR		
GXF_251	17	R	R	CXF_609	57	NR	NR		
LXFA_400	18	R	R	LXFL_1072	59	NR	NR		
MAXF_1384	18	R	R	CXF_647	64	NR	NR		
GXF_602	24	R	R	RXF_423	64	NR	NR		
CXF_1103	45	NR	R	LXFA_526	67	NR	NR		
LXFE_397	56	NR	R	MEXF_514	67	NR	NR		
MAXF_1162	58	NR	R	RXF_631	68	NR	NR		
MAXF_857	69	NR	R	CXF_1729	69	NR	NR		
MAXF_MCF7	73	NR	R	PAXF_736	70	NR	NR		
OVXF_899	76	NR	R	RXF_1393	72	NR	NR		
In vivo study									
63 Tumors tested									
23 (37%) Responsive(R) T/C<30%									
40 (63%) Not responsive (NR) T/C>=30%									
Predicted	<i>in vivo real</i>								
R 26	<table border="0"> <tr> <td>R 20 (77%)</td> <td>NR 6 (23%)</td> </tr> </table>							R 20 (77%)	NR 6 (23%)
R 20 (77%)	NR 6 (23%)								
Predicted	<i>in vivo real</i>								
NR 37	<table border="0"> <tr> <td>R 3 (8%)</td> <td>NR 34 (92%)</td> </tr> </table>							R 3 (8%)	NR 34 (92%)
R 3 (8%)	NR 34 (92%)								

Volume 4, page 203: Table VI should be replaced with:

Tumor	T/C[%]	real	pred	Tumor	T/C[%]	real	pred
LXFL_529	2	R	R	BXF_1228	35	NR	NR
LXFS_573	3	R	R	BXF_T24	35	NR	NR
LXFS_650	3	R	R	RXF_1393	35	NR	NR
MEXF_276	4	R	R	OVXF_1353	36	NR	NR
LXFE_409	5	R	R	CXF_1788	37	NR	NR
RXF_393	8	R	R	RXF_486	37	NR	NR
LXFS_605	9	R	R	GXF_602	39	NR	NR
SXF_627	22	R	R	MAXF_401	39	NR	NR
PXF_537	23	R	R	LXFL_430	41	NR	NR
LEXF_1189	24	R	R	LXFA_629	42	NR	NR
LXFE_937	25	R	R	OVXF_899	43	NR	NR
MEXF_989	25	R	R	PAXF_1657	47	NR	NR
LXFL_1072	29	R	R	OVXF_SKOV3	50	NR	NR
RXF_944LX	29	R	R	PAXF_546	53	NR	NR
GXF_281	32	R	R	RXF_631	54	NR	NR
BXF_1218	33	R	R	RXF_1220	56	NR	NR
MAXF_MX1	33	R	R	LXFE_211	57	NR	NR
CXF_280	34	R	R	MAXF_1322	57	NR	NR
GXF_97	34	R	R	MAXF_1384	58	NR	NR
MAXF_574	42	NR	R	MAXF_857	59	NR	NR
SXF_1410	49	NR	R	CXF_158	60	NR	NR
LXFE_397	52	NR	R	CXF_975	62	NR	NR
MEXF_514	55	NR	R	CXF_1103	66	NR	NR
LXFS_615	62	NR	R	GXF_251	67	NR	NR
PXF_541	64	NR	R	MAXF_583	67	NR	NR
MEXF_535	81	NR	R	MAXF_MCF7	71	NR	NR
LEXF_CCRFCEM	86	NR	R	MEXF_274	72	NR	NR
LXFA_289	95	NR	R	LXFA_677	75	NR	NR
<i>In vivo study</i>							
66 Tumors tested							
23 (35%) Responsive(R) T/C<35%							
43 (65%) Not responsive (NR) T/C>=35%							
Predicted		<i>in vivo real</i>					
R 28		R 19 (68%)					
		NR 9 (32%)					
Predicted		<i>in vivo real</i>					
NR 38		R 4 (11%)					
		NR 34 (89%)					